DATABANK
DEPARTEMENT GEOGRAFIE
UNIVERSITEIT VAN PRETORIA

PALAEOFLUVIAL GEOMORPHOLOGY in SOUTHERN AFRICA: A BIBLIOGRAPHY

Dollar, E.S.J.

Department of Geography
Rhodes University
Grahamstown
6140
South Africa
gged@warthog.ru.ac.za

Occasional Paper Number 5
Southern African Association ofr Geomorphologists
Series editors: Dollar, E.S.J. and Du Plessis, A.J.E.
ISBN 0-86810-351-9
June 1998

9-4-5

Bamford, M.K. and De Wit, M.C.J., 1994: Taxonomic description of fossil wood from Cainozoic Sak River terraces, Bushmanland, South Africa, *Palaeontolgia Africa*, 30, 71-80.

Baillie, I.C., 1969: Some Swaziland examples of localized control of base levels: The lower Umbeluzi, *South African Geographical Journal*, 51, 114-122.

Baillie, I.C., 1970: Some Swaziland examples of localized control of base levels: The middle Ngwempisi basin, *South African Geographical Journal*, 52, 77-86.

Barwis, J.H. and Tankard, A.J., 1983: Pleistocene shoreline deposition and sea-level history at Swartklip, South Africa, *Journal of Sedimentary Petrology*, 53, 1281-1294.

Beck, R., 1906: The Mastodon in the Pleistocene of South Africa, *Geological Magazine*, London.

Beckedahl, H.R., and Moon, B.P., 1980: The identification of superimposed drainage systems through morphometric analysis, *South African Geographer*, 8, 25-29.

Beekhuis, J., Bekker, C.T., Joubert, S.J., and Marwick, C.W., 1944: Some geomorphic aspects of the Eerste River system, *Annals of the University of Stellenbosch*, 22, Section A, 239-248.

Bluck, B.J., Ward, J.D. and McMillan, I.K., in press: *A view on the palaeo-Orange River during the Late Cretaceous.*

Bond, G., 1963: Pleistocene environments in southern Africa, In, Howell, F.C. and Bouliere, F., (Eds.), *African ecology and human evolution*, Viking Fund, Chicago, 648-654.

Bond, G., 1967: River valley morphology, stratigraphy and palaeoclimatology in southern Africa, In, Bishop, W.W., and Clark, J.D., (Eds.), *Background to evolution in Africa*, Chicago University Press, Chicago, 303-312.

Bond, G., 1975: The geology and formation of the Victoria Falls, In, Phillipson, D.W., (Ed.), *Mosi-oa-Tunya- A handbook on the Victoria Falls region*, Longman, London, 19-48.

Boocock, C., and Van Straten, O.J., 1962: Notes on the geology and hydrogeology of the Central Kalahari region, Bechuana Protectorate, *Transactions of the Geological Society of South Africa*, 65, 1, 125-176.

Bootsman, C.S., 1997: On the evolution of the upper-Molopo drainage, *South African Geographical Journal*, 79, 2, 83-92.

Boshof, P., Kovacs, Z., Van Bladeren, D. and Zawada, P.K., 1993: Potential benefits from palaeoflood investigations in South Africa, *Journal of South African Institute of Civil Engineers*, 35, 25-26.

Bremner, J.M., Du Plessis, A., Glass, J.G.K. and Day, R.W., 1991: Algoa Bay - marine geoscientific investigation, *Geological Survey of South Africa Bulletin*, 100, 173

Brinn, C., 1991: *Cainozoic deposits of the Eastern Molopo drainage*, Internal Report Bophuthatswana Geological Survey, Mmabatho, 66.

Butzer, K.W., 1971: Fine alluvial fills in the Orange and Vaal basins of South Africa, *Proceedings of the Association of American Geographers*, 3, 41-48.

Butzer, K.W., 1972: Fine alluvial fills in the Orange and Vaal basins, *Palaeoecology of Africa*, 6, 149-151.

Butzer, K.W., 1984: Archeogeology and Quaternary environment in the interior of southern Africa, In, Klein, R.G., (Ed.), *Southern African prehistory and palaeoenvironment*, A.A. Balkema, Rotterdam, 1-64.

Butzer, K.W., Helgren, D.M., Fock, F.J., and Stuckenrath, R., 1973: Alluvial terraces of the Lower Vaal River, South Africa: A reappraisal and reinvestigation, *Journal of Geology*, 81, 341-362.

Butzer, K.W., Fock, G.J., Stuckenrath, R., and Zilch, A., 1973: Palaeohydrology of Late Pleistocene lake, Alexandersfontein, Kimberley, South Africa, *Nature*, 243, 328-330.

Cairncross, B. and Cadle, A.B., 1988: Depositional palaeoenvironments of the Permian coal-bearing Vryheid Formation in the east Witbank Coalfield. *South African Journal of Geology*, 91, 1-17.

Cairncross, B., Stanistreet, I.G., McCarthy, T.S., Ellery, W.N., Ellery, K., and Grobicki, T.S.A., 1988: Palaeochannels (stone-rolls) in coal seams: Modern analogues from fluvial deposits of the Okavango Delta, Botswana, *Sedimentary Geology*, 57, 107-118.

Carter, A.J. and Rogers, K.H., 1995: *A Markovian approach to investigating landscape change in the Kruger National Park rivers*, Centre for Water in the Environment Report No. 2/95, Centre for Water in the Environment, University of the Witwatersrand, Johannesburg.

Chunnet, I.E., 1994: The Ventersdorp contact reef - A historical perspective, *South African Journal of Geology*, 97, 3, 239-246.

Coetzee, J.A., 1980: Tertiary environmental changes along the southwestern African coast, *Palaeontologia Africana*, 23, 197-203.

Coetzee, J.A. and Rogers, J., 1982: Palynological and lithological evidence for Miocene and Pliocene palaeoenvironments in the Saldanha region (South Africa). *Palaegeography, Palaeoclimatology, Palaeoecology*, 39, 71-85.

Cole, D.I., 1980: Aspects of the sedimentology of some uranium-bearing sandstones in the Beaufort West area, Cape Province, *Transactions Geological Society South Africa*, 83, 375-390.

Cole, D.I., 1992: Evolution and development of the Karoo Basin, In, De Wit, M.J. and Ransome, I.G.D., (Eds.), *Inversion Tectonics of the Cape Fold Belt, Karoo and Cretaceous Basins of southern Africa*, A.A. Balkema, Rotterdam, 87-99.

Collinson, J.D., 1986: Alluvial environmental changes along the southwestern African coast, *Palaeontology of Africa*, 23, 197-207.

Cooke, H.B.S., 1941: A preliminary survey of the Quaternary period in South Africa, Bureau for Archaeology, Pretoria, *Archaeological Survey*, 4, 1-60.

Cooke, H.B.S., 1946: The development of the Vaal River and its deposits, *Transactions of the Geological Society of South Africa*, Volume 49, 243-259.

Cooke, H.B.S., 1949: Fossil mammals of the Vaal River deposits, *Geological Survey of South Africa, Memoir 35*, 3, 117.

Cooke, H.B.S., 1957: Observations relating to Quaternary environments in east and southern Africa, Alex. L. Du Toit Memorial Lecture No. 5, *Transactions of the Geological Society of South Africa*, Annexure to Volume 60.

Cooke, H.B.S., 1967: The Pleistocene sequence in South Africa and problems of correlation, In, Bishop, W.W. and Clark, J.P., (Eds.). *Background to evolution in Africa*, University of Chicago Press, Chicago, 175-183.

Cooke, H.J., 1976: The palaegeography of the middle Kalahari of northern Botswana and adjacent areas, *Symposium on the Okavango Delta*, Botswana Society, Gaborone, 21-29.

Cooke, H.J., 1979: The origin of the Makgadikgadi pans, *Botswana Notes and Records*, 11, 37-47.

Cooke, H.J., and Verstappen, H.T.. 1984: The landforms of western Makgadikgadi basin in northern Botswana, with a consideration of the chronology of the evolution of Lake Palaeo Makgadikgadi, *Zeitschrift für Geomorphologie*, 28, 1-19.

Cooks, J., 1968: Palaeodraineringslyne in die wes-Transvaalse karstgebied, *South African Geographical Journal*, 50, 100-109.

Cooks, J., 1972: The interpretation of drainage patterns in geomorphology, *South African Geographer*, 3, 1073-1081.

Cornell, F.C., 1920: *The glamour of prospecting*, Creda Press, Cape Town.

Corvinus, G. and Hendey, Q.B., 1978: A new Miocene vertebrate locality at Arrisdrif in South West Africa, *Neue Jaarbuch Geologie Palaontologie Mb Stuttgart*, 1978, 4, 193-205.

Dardis, G.F., Beckedahl, H.R., and Stone, A.W., 1988: Fluvial systems, In, Moon, B.P. and Dardis, G.F., (Eds.), *The geomorphology of southern Africa*, Southern Books, Johannesburg, 30- 56.

De Kock, W.P., 1941: The Ventersdorp contact reef: Its nature, mode of occurrence and economic significance with special reference to the far West Rand, *Transactions of the Geological Society of South Africa*, 43, 85-108.

De Swardt, A.M.J. and Bennet, G., 1974: Structural and physiographic evolution of Natal since the Late Jurassic, *Transactions of the Geological Society of South Africa*, 77, 309-322.

De Wit, M.C.J., 1981: *A geophysical investigation and geological interpretation of part of the diamondiferous gravels on the farm Grasfontein, West of Bakerville*, Unpublished MSc Thesis, University of Pretoria, Pretoria, 356.

De Wit, M.C.J., 1988: Aspects of the geomorphology of the northwestern Cape, South Africa, In, Dardis, G.F. and Moon, B.P., (Eds.), *Geomorphological studies in southern Africa*, A.A. Balkema, Rotterdam, 5-69.

De Wit, M.C.J., 1988: Geological guide to the Northern Cape Field Trip, *Geological Society of South Africa*, 80

De Wit, M., 1993: *Cainozoic evolution of drainage systems of the northwest Cape*, Unpublished PhD Thesis, University of Cape Town, Cape Town.

De Wit, M.C.J., 1996: The distribution and stratigraphy of inland alluvial diamond deposits in South Africa, *African Geoscience Review*, 3, 2, 175-189.

De Wit. M.C.J., Ward, J.D. and Jacob, J.R., 1997: Diamond bearing deposits of the Vaal-Orange River System, *Field Excursion Guidebook, Sixth International Conference on Fluvial Sedimentology*, University of Cape Town, September 1997, 2, 1-61.

De Villiers, A.B.A., 1975: Die invloed van verskuiwings, nate en gange op die dreineringspatroon van 'n gedeelte van die Vredefortkop, *South African Geographer*, 5, 16-22.

De Villiers, A.B., 1988: Morphology of the Mooi River drainage basin, In, Dardis, G.F., and Moon, B.P., (Eds.), *Geomorphological Studies in southern Africa*, Balkema, Rotterdam, 487-494.

Deacon, J. and Lancaster, N., 1988: *Late Quaternary Palaeoenvironments of southern Africa*, Clarendon Press, Oxford.

Deacon, J., Lancaster, N. and Scott, L., 1984: Evidence for Late Quaternary climate change in southern Africa, In, Vogel, J.C., (Ed.), *Late Cainozoic Palaeoclimates of the southern Hemisphere*, A.A. Balkema, Rotterdam, 391-404.

Deacon, H.J., Partridge, T.C., Avery, D.M., Illenberger, W.K., Talma, A.S. and Verhagen, B. Th., 1988: Palaeoenvironments and recent environmental change in southern Africa, In, MacDonald, I.A.W. and Crawford, R.J.M., (Eds.), *Longterm data series relating to South Africa renewable resources*, South African National Scientific Program, No 157, 365-367.

Dingle, R.V., 1971: Tertiary sedimentary history of the continental shelf off the southern Cape Province, South Africa, *Transactions of the Geological Society of South Africa*, 74, 173-186.

Dingle, R.V., and Hendey, Q.B., 1984: Mesozoic and Tertiary sediment supply to the western Cape basin and palaeodrainage systems in south-western Africa, *Marine Geology*, 56, 13-26.

Dingle, R.V., Birch, G.F., Bremner, J.M., Decker, R.H., Du Plessis, A., Engelbrecht, J.C., Fincham, M.J., Fitton, T., Flemming, B.W., Gentle, R.I., Goodlad, S.W., Martin, A.K., Mills, E.G., Moir, G.J., Parker, R.J., Robson, S.H., Rogers, J., Salmon, D.A., Siesser, W.G., Simpson, E.S.W., Summerhayes, C.P., Westall, F., Winter, A. and Woodburne, M.W., 1987: Deep sea sedimentary environments around southern Africa (South-east Atlantic and South-west Indian Ocean), *Annals of the South African Museum* 98, 1-27.

Dixey, F., 1943: The morphology of the Congo-Zambezi watershed, *South African Geographical Journal*, 25, 20-41.

Dixey, F., 1945: The geomorphology of Northern Rhodesia, *Transactions of the Geological Society of South Africa*, 48, 9-45.

Dixey, F., 1945: The Ladysmith basin, *South Afrian Geographical Journal*, 27, 32-45.

Dixey, F., 1955: Some aspects of the geomorphology of central and southern Africa, *Transactions of the Geological Society of South Africa*, Supplement, 58.

Dollar, E.S.J., 1997: *Fluvial geomorphology in southern Africa: a review of research and management applications*, Report to the Water Research Commission, Water Research Commission, Pretoria.

Dollar, E.S.J., 1998: Palaeofluvial geomorphology in Southern Africa: A Review, *Progress in Physical Geography* (in press).

Dowsett, H.J. and PRISM Project Members, 1994: Characterization of Middle Pliocene marine climatic conditions, sea surface temperature, sea ice distribution and sea level, *Transactions of the American Geophysical Union*, 75, 16, 206.

Du Toit, A.L., 1906: *Geological survey of the eastern portion of Griqualand West*, 11th Annual Report of the Geological Commission, Cape of Good Hope.

Du Toit, A.L., 1907: Geological survey of portions of Mafeking and Vryburg, *Report of the Geological Commission of the Cape of Good Hope*, 123-158.

Du Toit, A.L., 1910: The evolution of the river system of Griqualand West, *Transactions of the Royal Society of South Africa*, 1, 347-362.

Du Toit, A.L., 1922: A physiographic sketch of the Vaal River, *South African Irrigation Department Magazine*.

Du Toit, A.L., 1933: Crustal movement as a factor in the geographical evolution of South Africa, *South African Geographical Journal*, 16, 3-20.

Du Toit, A.L., 1939: *The geology of South Africa*, Oliver and Boyd, Edinburgh.

Du Toit, A.L., 1951: The diamondiferous gravels of Lichtenburg, *Geological Survey of South Africa, Memoir 44*, 58

Ebert, J. and Hitchcock, R.K., 1978: Ancient Lake Makgadikgadi Botswana: Mapping, measurement and palaeoclimatic significance, *Palaeoecology of Africa*, 10/11, 47-56.

Esterhuysen, K. and Rust, I.C., 1988: Stratigraphic borehole data from the Lower Swartkops estuary, In, MacDonald, I.A.W. and Crawford, R.J.M., (Eds.), *Longterm data series relating to South Africa renewable resources*, South African National Scientific Programmes, No 157, 211-214.

Fair, T.J.D., 1944: The geomorphology of the Ladysmith basin, Natal, *South African Geographical Journal*, 26, 35-43.

Fair, T.J.D., 1978: The geomorphology of central and southern Africa, In, Werger, M.J.A., (Ed.), *Biogeography and ecology of southern Africa*, Dr. W. Junk, The Hague, 3-17.

Flemming, B.W., 1981: Factors controlling shelf sediment dispersal along southeast African continental margin, *Marine Geology*, 42, 259-277.

Flint, R.F., 1959: Pleistocene climate in eastern and southern Africa, *Geological Society of America Bulletin*, 70, 343-374.

Fraas, E., 1907: Pleistocane fauna aus den diamanttiefen von Sud-Afrika, *Zeitschrift der Deutschen Geologischen Gesellschaft*, 109, 2.

Goodwin, A.F.H., 1926: The archaeology of the Vaal River gravels, *Transactions of the Royal Society of South Africa*, 16, 77-102.

Goudie, A.S., 1972: Climate, weathering, crust formation, dunes and fluvial features of the central Namib desert near Gobabeb, South West Africa, *Madoqua*, 11, 1, 15-31.

Goudie, A.S. and Thomas, D.S.G., 1985: Pans in southern Africa with particular reference to South Africa and Zimbabwe, *Zeitschrift für Geomorphologie*, 29, 1-19.

Gould, D., Rathbone, P.A. and Kimbell, G.S., 1989: The Geology of the Molopo Farms Complex, southern Botswana, *Bulletin Botswana Geological Survey Department*, Lobatse 23.

Grey, D.R.C. and Cooke, H.J., 1977: Some problems in the Quaternary evolution of landforms in northern Botswana, *Catena 4*, 123-133.

Grobler, N.J., Loock, J.C. and Behounek, N.J., 1988: Development of pans in palaeodrainage in the north-western Orange Free State, *Palaeoecology of Africa*, 19, 87-95.

Grove, A.T., 1969: Landforms and climatic change in the Kalahari and Ngamiland, *Geographical Journal*, 135, 191-212.

Harger, H.S., 1909: The occurrence of diamonds in the Dwyka conglomerate and Amygdaloidal lavas and the origin of the Vaal River conglomerate, *Transactions of the Geological Society of South Africa*, 12, 139-158.

Hattingh, J., 1994: Depositional environment of some gravel terraces in the Sundays River Valley, Eastern Cape, *South African Journal of Geology*, 97, 156-166.

Hattingh, J., 1996: *Late Cenozoic drainage evolution in the Algoa basin with special reference to the Sundays River Valley*, Unpublished PhD Thesis, University of Port Elizabeth, Port Elizabeth.

Hattingh, J., 1996: Fluval response to allocycle influences during the development of the Lower Sundays River, Eastern Cape, South Africa, *Quaternary International*, 33, 3-10.

Hattingh, J., 1996: Fluvial systems and landscape evolution, In, Lewis, C.A., (Ed.), *The geomorphology of the Eastern Cape*, Grocott and Sherry, Grahamstown, 19-32.

Hattingh, J. and Goedhart, M.L., in press: Neotectonic control on drainage evolution in the Algoa basin, south-eastern Cape Province. *(South African Journal of Geology).*

Hattingh, J. and Rust, I.C., in press: Fluvial development and basin evolution following the termination of large scale sedimentation in the Late Mesozoic Algoa basin. *(South African Journal of Geology).*

Hattingh, J. and Rust, I.C., in press: Drainage evolution and morphological development of the Late Cenozoic Sundays River, South Africa, In, Miller, A. and Gupta, A., (Eds.), *Variety in fluvial form*, Wiley, London.

Haughton, S.H., Frommurze, H.F. and Visser, D.J.L., 1937: *The geology of a portion of the coastal belt near the Gamtoos Valley, Cape Province*, Explanation Sheet 151, Geological Survey, Pretoria.

Heine, K., 1978: Radiocarbon chronology of the late Quaternary lakes in the Kalahari region, *Catena 5*, 145-149.

Heine, K., 1982: The main stages of the Late Quaternary evolution of the Kalahari region, southern Africa, *Palaeoecology of Africa*, 15, 53-76.

Heine, K., 1983: Preliminary reconstruction of the Late Quaternary climatic history of the central Namib desert, South West Africa, based on new ^{14}C dates, In, Horie, S., (Ed.), *Paleolimnology of Lake Biwa and the Japanese Pleistocene,* 11, 41-54.

Heine, K., 1985: Late Quaternary development of the Kuiseb River Valley and adjacent areas, central Namib Desert, South West Africa/Namibia, and palaeoclimatic implications, *Zeitschrift für Gletscherkunde und Glazialgeologie*, 21, S, 151-157.

Helgren, D.M., 1977: Environmental stratigraphy of the relict alluvium and terraces along the Lower Vaal River, South Africa, *Palaeoecology of Africa*, 10, 163-171.

Helgren, D.M., 1977: Geological context of the Vaal river faunas, *South African Journal of Science*, 73, 303-307.

Helgren, D.M., 1979: *River of diamonds: An alluvial history of the Lower Vaal basin*, Department of Geography, University of Chicago, Research Series No. 186, Chicago.

Helgren, D.M., 1979: Relict channel ways of the middle Orange River, *South African Journal of Science*, 75, 462-463.

Helgren, D.M., 1984: Historical geomorphology and geoarchaeology in the southwestern Makgadikgadi basin, Botswana, *Annals of the Association of American Geographers*, 74, 298-307.

Helgren, D.M. and Butzer, K.W., 1974: Alluvial terraces of the Lower Vaal River, South Africa: A reappraisal and reinvestigation: A reply, *Journal of Geology*, 82, 665-667.

Huntley, B.J., 1985: The Kuiseb environment: the development of a monitoring baseline, *South African National Scientific Programmes Report*, 106, Council for Scientific and Industrial Research, Pretoria.

Hutchins, D., Hutton, L., Hutton, S., Jones, C. and Leonhert, E., 1976: A summary of the geology, seismicity, geomorphology and hydrogeology of the Okavango Delta, *Botswana Geological Survey Department Bulletin 7*, Gaborone.

Illenberger, W.K., 1992: *Sediment dynamics of the Sundays River mouth area, Algoa Bay*, Unpublished PhD, University of Port Elizabeth, Port Elizabeth.

Illenberger, W.K., 1993: Variations of sediment dynamics in Algoa Bay during the Holocene, *South African Journal of Science*, 89, 187-195.

Johnson, J.P., and Young, R.B., 1906: The relationship of the ancient deposits of the Vaal River to the Palaeolithic period of South Africa, *Transactions Geological Society of South Africa*, 9, 53-56.

King, L.C., 1941: Attempt at a measure of erosion in Natal, *Transactions of the Geological Society of South Africa*, 43, 153-157.

King, L.C., 1944: On palaegeography. *South African Geographical Journal*, 26, 1-13.

King, L.C., 1963: *South African scenery: A textbook of geomorphology*, Oliver and Boyd, Edinburgh.

Kingsley, C.S., 1981: A composite submarine fan delta fluvial model for the Ecca and lower Beaufort groups of Permian age in the eastern Cape Province, South Africa, *Transactions of the Geological Society of South Africa*, 84, 27-40.

Klein, R.G., (Ed.), 1984: *Southern Africa prehistory and palaeoenvironments*, A.A. Balkema, Rotterdam.

Korn, H. and Martin, H., 1957: The Pleistocene in SWA, In, Clarke, J.D. and Cole, S., (Eds.), *Proceedings III Pan African Congress on prehistory*, Livingstone, Chatto and Windus, London, 14-22.

Krige, A.V., 1927: An examination of the Tertiary and Quaternary changes of sea level in South Africa with special stress on the evidence in favour of a recent world-wide sinking of ocean level, *Annals of the University of Stellenbosch*, No. 5, Section A.

Lancaster, I.N., 1978: The pans of the southern Kalahari, Botswana, *Geographical Journal*, 144, 81-98.

Lancaster, I.N., 1978: Composition and formation of southern Kalahari pan margin dunes, *Zeitschrift für Geomorphologie*, NF, 22, 148-169.

Lancaster, N., 1984: Aridity in southern Africa: Age, origins and expression in landforms and sediments. In, Vogel, J.C., (Ed.), *Late Cainozoic palaeoclimates of the Southern Hemisphere*, A.A. Balkema, Rotterdam, 433-444.

Lancaster, N., 1984: Palaeoenvironments in the Tsondab Valley, central Namib Desert, *Palaeoecology of Africa*, 16, 411-419.

Lancaster, N., 1986: Pans in the southwestern Kalahari: A preliminary report, *Palaeoecology of Africa*, 17, 59-67.

Le Roux, J.S., 1968: Die Vaalrivierdreineringstelsel in die Parysgebied, *South African Geographical Journal*, 50, 33-39.

Le Roux, J.S., 1978: The origin and distribution of pans in the Orange Free State, *South African Geographer*, 6, 167-176.

Le Roux, J.S., 1990: Spatial variations in the rate of fluvial erosion (sediment production) over South Africa, *Water SA*, 16, 3, 185-194.

Lenz, C.J., 1957: The river evolution and the remnants of the Tertiary surfaces in the western Little Karoo, *Annals of the University of Stellenbosch*, 33, Section A, 191-234.

Lister, L.A., 1979: The geomorphic evolution of Zimbabwe-Rhodesia, *Transactions of the Geological Society of South Africa*, 82, 363-370.

Livingstone, D., 1858: *Cambridge lectures*, Ed. W. Monk, Deighton, Bell and Co, London.

Lotz, H., 1909: Uber die Luderitzbuchter Diamantvorkommen, *Zeitschrift für Praktische Geologie*, 17, 142.

Mabbutt, J.A., 1950: The relief and drainage of the Tygerberg hills north of Cape Town, *Transactions of the Geological Society of South Africa*, 53, 13-34.

Mabbutt, J.A., 1952: The evolution of the middle Ugab valley, Damaraland, South West Africa, *Transactions of the Royal Society of South Africa*, 33, 334-366.

Malherbe, S.J., Keyser, A.W., Botha, B.J.V., Cornelissen, A., Slabbert, M.J. and Prinsloo, M.C., 1986: The Tertiary Koa River and the development of the Orange River drainage, *Annals of the South African Geological Survey*, 20, 13-23.

Marker, M.E., 1977: Relict fluvial terraces on the Tsondab Flats, Namibia, *Journal of Arid Environments*, 2, 113-117.

Marker, M.E., 1977: Aspects of the geomorphology of the Kuiseb River, South West Africa, *Madoqua*, 10, 3, 199-206.

Marker, M.E. and Muller, D., 1978: Relict vlei silts of the middle Kuiseb River Vlei, South West Africa, *Madoqua*, 11, 151-162.

Marshall, T.R., 1986: *Morphotectonics analysis of the Orange Free State*, Unpublished MSc Thesis, University of the Witwatersrand, Johannesburg.

Marshall, T.R., 1986: *The alluvial-diamond fields of the western Transvaal*, Economic Geology Research Unit Information Circular No. 188, University of the Witwatersrand, Johannesburg.

Marshall, T.R., 1988: The origin of the pans of the western Orange Free State - a morphotectonic study of the Palaeo-Kimberley River, *Palaeoecology of Africa*, 19, 97-107.

Marshall, T.R., 1988: The diamondiferous gravel deposits of the Bamboesspruit, Southwestern Transvaal, South Africa, In, Dardis, G.F. and Moon, B.P., (Eds.), *Geomorphological studies in southern Africa*, Balkema, Rotterdam, 495-505.

Marshall, T.R., 1989: The alluvial diamond fields of the western Transvaal, South Africa, In, Ross, J., (Ed.), Kimberlites and related rocks, *Special Publication Geological Society of Australia*, 14. 2, 1204-1214.

Marshall, T.R., 1990: *The nature, origin, and evolution of the Lichtenburg-Ventersdorp alluvial diamond field*, Gold Fields South Africa Unpublished Report, 100.

Marshall, T.R., 1990: *The nature, origin and evolution of the diamondirerous gravels of the South Western Transvaal*, Unpublished PhD, University of the Witwatersrand, Johannesburg.

Marshall, T.R., 1991: The diamondiferoous gravels of the southwestern Transvaal, In, Meyer, H.O.A. and Leonardos, O.H., (Eds.), *Diamonds, characterization, genesis and exploration*, Comp Pesq Recursos Minerais Special Publication 1/B, 187-201.

Marshall, T.R. and Baxter-Brown, R., 1995: Basic principles of alluvial diamond exploration, *Journal of Geochemical Exploration*, 53, 27-292.

Martin, A.K., 1987: Comparison of sedimentation rates in the Natal Valley, southwest Indian Ocean, with modern sediment yields in East Coast rivers of southern Africa, *South African Journal of Science*, 83, 716-724.

Maske, S., 1957: A critical review of superimposed and antecedent rivers in southern Africa, *Annals University of Stellenbosch*, 33, 5A, 4-22.

Mason, R.J., 1962: *The prehistory of the Transvaal*, Wits University Press, Johannesburg.

Mason, R.J., 1967: The archaeology of the earliest surficial deposits in the Lower Vaal basin near Holpan, Windsorton, *South African Geographical Journal*, 49, 39-56.

Mattheys, F.G., 1990: *The alluvial diamond deposits of the Lower Vaal River between Barkly West and the Vaal-Harts confluence in the Northern Cape Province, South Africa*, Unpublished MSc Thesis, Rhodes University, Grahamstown, 147.

Maud, R.R., 1986: Neogene palaeoclimates in the eastern and southeastern coastal areas of South Africa, *South African Journal of Science*, 82, 65-66.

Maud, R.R., 1996: The macro-geomorphology of the Eastern Cape, In, Lewis, C.A., (Ed.), *The geomorphology of the eastern Cape*, Grocott and Sherry, Grahamstown, 1-18.

Maud, R.R. and Partridge, T.C., 1987: Regional geomorphic evidence for climatic change in southern Africa since the Mesozoic, *Palaeoecology of Africa*, 18, 337-348.

Maufe, H.B., 1930: Changes of climate in southern Rhodesia during geological times. *South African Geographical Journal*, 8, 12-16.

Mayer, J.J., 1973: Morphotectonic development of the Harts River valley in relation to the Griqualand-Transvaal axis and the Vaal and Molopo Rivers, *Transactions of the Geological Society of South Africa*, 76, 183-194.

McCarthy, T.S., 1983: Evidence for the former existence of a major, southerly flowing river in Griqualand West, Transactions, *Geological Society of South Africa*, 86, 37-49.

McCarthy, T.S., Moon, B.P. and Levin, M., 1985: Geomorphology of the western Bushmanland plateau, Namaqualand, South Africa, *South African Geographical Journal*, 67, 2, 160-178.

McCormick, I.S., Cooper, J.A.G. and Mason, T.R., 1992: Fluvial sediment yield to the Natal Coast, *South African Journal of Aquatic Sciences*, 18, 1/2, 74-58.

Merensky, H., 1908: The origin of the river diamonds within the area of the Vaal River, *Transactions of the Geological Society of South Africa*, 10, 107-111.

Milliman, J.D. and Meade, R.H., 1983: World-wide delivery of river sediment to the oceans, *Journal of Geology*, 91, 1-21.

Murgatroyd, A.L., 1979: Geologically normal and accelerated rates of erosion in Natal, *South African Journal of Science*, 75, 395-396.

Nash, D.J., 1996: On the dry valleys of the Kalahari: documentary evidence of environmental change in central southern Africa, *The Geographical Journal*, 162, 154-168.

Nash, D.J., Thomas, D.S.G. and Shaw, P.A., 1994: Timescales, environmental change and dryland valley development. In, Millington, A.C. and Pye, K., (Eds.), *Environmental change in drylands*, Wiley, Chichester, 25-41.

Nash, D.J., Shaw, P.A. and Thomas, D.S.G. 1994: Duricrust development and valley evolution: process - landform links in the Kalahari, *Earth Surface Processes and Landforms*, 19, 299-317.

Nugent, C., 1990: The Zambezi River: Tectonism, climate change and drainage evolution, *Palaeogeography, Palaeoclimatology, Palaeoecology*, 78, 55-69.

Nugent, C., 1992: The Zambezi River: Tectonism, climate change and drainage evolution - reply to discussion, *Palaeogeography, Palaeoclimatology, Palaeoecology* 91, 178-182.

Ollier, C.D., 1977: Outline geological and geomorphic history of the central Namib Desert, *Madoqua*, 10, 207-212.

Orme, A.R., 1976: Late Pleistocene channels and Flandrian sediments beneath Natal estuaries, *Annals of the South African Museum*, 71, 78-85.

Partridge, T.C., 1968: *Some geomorphic units in the Transvaal and their significance in physical development*, Unpublished PhD Thesis, Department of Geography, University of Natal, Durban.

Partridge, T.C., 1969: Fluvial features and climatic change during the Quaternary in South Africa, *South African Archaeological Bulletin*, 24, 106-116.

Partridge, T.C., 1986: The palaeoclimatic significance of Cainozoic terrestrial stratigraphic and tectonic evidence from South Africa: A review, *South African Journal of Science*, 81, 245-247.

Partridge, T.C., 1988: Geomorphological perspectives on recent environmental change in southern Africa, In, MacDonald, I.A.W., and Crawford, R.J.M., (Eds.), *Long term data series relating to southern Africa's renewable resources*, South African National Scientific Program Report, 157, Pretoria, 367-378.

Partridge, T.C., 1990: Cainozoic environmental changes in southern Africa, *South African Journal of Science*, 86, 315-317.

Partridge, T.C., 1997: Cainozoic environmental change in southern Africa, with special emphasis on the last 200 000 years, *Progress in Physical Geography*, 21, 1, 3-22.

Partridge, T.C. and Brink, A.B.A., 1967: Gravels and terraces of the Lower Vaal River basin, *South African Geographical Journal*, 49, 22-39.

Partridge, T.C. and Brink, A.B.A., 1974: Alluvial terraces of the Lower Vaal River, South Africa: A reappraisal and reinvestigation: A discussion, *Journal of Geology*, 82, 663-665.

Partridge, T.C. and Maud, R.R., 1987: Geomorphic evolution of southern Africa since the Mesozoic, *South African Journal of Geology*, 90, 179-208.

Partridge, T.C., Avery, D.M., Botha, G.A., Brink, J.S., Deacon, J., Herbert, R.S., Maud, R.R., Scholtz, A., Scott, L., Talma, A.S., and Vogel, J.S., 1990: Late Pleistocene and Holocene climate change in southern Africa, *South African Journal of Science*, 86, 302-305.

Penning, W.H., 1901: *Gold and diamonds*, London, Howett.

Pickford, M., Senut, B., Mein, P., Gommery, D., Morales, J., Soria, D., Nieto, M. and Ward, J.D., 1996: Preliminary results of new excavations at Arrisdrif, middle Miocene of southern Namibia, *C.R. Acadamy of Science Paris*, 322, serie 1ia, 901-996.

Ranke, W., 1931: Down the Limpopo, *South African Geographical Journal*, 15, 35-44.

Reddering, J.S.V., 1988: Evidence for a Middle Holocene transgression, Keurbooms estuary, South Africa, *Palaeoecology of Africa*, 19, 79-85.

Reddering, J.S.V. and Rust, I.C., 1990: Historical changes and sedimentary characteristics of South African estuaries, *South African Journal of Science*, 86, 425-428.

Retief, E.A., 1960: The diamondiferous gravels in the Lichtenburg-Ventersdorp area, *Geological Survey Report No. 1960-0004*, Pretoria, 68.

Rogers, A.W., 1903: The geological history of the Gouritz River system, *Transactions of the South African Philosophical Society*, 2, 375-385.

Rogers, A.W., 1922: The post Cretaceous climates of South Africa, *South African Journal of Science*, 19.

Ruddock, A., 1945: Terraces in the lower part of the Sundays River valley, Cape Province, *Transactions of the Royal Society of South Africa*, 31, 347-370.

Ruddock, A., 1957: A note on the relation between Chelles-Archeul implements and Quaternary River terraces in the valleys of the Coega and Sundays Rivers, Cape Province, *South African Journal of Science*, 53, 373-377.

Ruddock, A., 1968: Cenozoic sea-levels and diastrophism in a region bordering Algoa Bay, *Transactions of the Geological Society of South Africa*, 71, 209-233.

Russel, J.R., 1976: The significance of stream link length frequencies in the Magaliesburg, Transvaal, *South African Geographical Journal*, 58, 25-35.

Rust, I.C. and Illenberger, W.K., 1989: Geology and geomorphology of the Baviaanskloof, In, Kerley, G.I.H. and Els, C.M., (Eds.), *The Kouga-Baviaanskloof complex*, Directorate of Nature Conservation, 42-45.

Rust, U., 1984: Geomorphic evidence of climatic changes in Etosha, SWA/Namibia, In, Vogel, J.C., (Ed.), *Late Cainozoic palaeoclimates of the Southern Hemisphere*, A.A. Balkema, Rotterdam, 279-286.

Rust, U. and Vogel, J.C., 1988: Late Quaternary environmental changes in the northern Namib Desert as evidenced by fluvial landforms, *Palaeoecology of Africa*, 19, 127-138.

Rust, U. and Weinecke, F., 1974: Studies on Gramadulla formation in the middle part of the Kuiseb River, *Madoqua*, Series, 2, 3, 5-15.

Rust, U. and Wieneke, F., 1980: A reinvestigation of some aspects of the evolution of the Kuiseb River valley upstream of Gobabeb, South West Africa, *Madoqua*, 12, 163-173.

Schulze, R.E., 1990: Climate change and hydrological response in southern Africa: Heading towards the future, *South African Journal of Science*, 86, 373-432.

Schwarz, E.H.J., 1907: The rock channel of the Buffalo River, East London, *Records of the Albany Museum*, Grahamstown.

Seely, M.K. and Sanelowsky, B.H., 1974: Dating the regression of a river's end point, *South African Archaeological Bulletin*, Goodwin Series II, 61-64.

Seely, M.K. and Ward, J.D., 1988: The Namib Desert, In, MacDonald, I.A.W. and Crawford, R.J.M., (Eds.), *Longterm data series relating to South Africa renewable resources*, South African National Scientific Report, No 157, 268-279.

Selby, M.J., Hendey, C.H. and Seely, M.K., 1979: A Late Quaternary lake in the central Namib Desert and some implications, *Palaeogeography,Palaeoclimatology, Palaeoecology*, 26, 37-41.

Senut, B., Pickford, M., Ward, J., De Wit, M.C.J., Spaggiari, R. and Morales, J., 1996: Biochronology of the Cainozoic sediments at Bosluispan, Northern Cape Province, South Africa, *South African Journal of Science*, 92, 249-251.

Shand, S.J., 1913: The terraces of the Eerste River at Stellenbosch, *Transactions of the Geological Society of South Africa*, 16, 147-155.

Shaw, G.W., 1872: Vaal River Diamond Gravels, *Quarterly Journal of the Geological Society of London*, 28, 18-23.

Shaw, P.A., 1983: Fluctuations in the level of Lake Ngami: A historical perspective, *Botswana Notes and Records*, 15, 79-84.

Shaw, P.A., 1985: Late Quaternary landforms and environmental change in Northwest Botswana: The evidence of Lake Ngami and the Mababe depression, *Transactions of the Institute of British Geographers*, NS 10, 333-346.

Shaw, P.A., 1985: The desiccation of Lake Ngami: A historical perspective, *Geographical Journal*, 151, 3, 318-326.

Shaw, P.A., 1986: The palaeohydrology of the Okavango Delta: Some preliminary results, *Palaeoecology of Africa*, 17, 51-58.

Shaw, P.A., 1988: After the flood: The fluvio-lacustrine landforms of Northern Botswana, *Earth-Science Reviews*, 25, 449-456.

Shaw, P.A., 1988: Lakes and pans, In, Moon, B.P. and Dardis, G.F., (Eds.), *The geomorphology of southern Africa*, Southern Books, Johannesburg, 120-140.

Shaw, P.A., 1989: Fluvial systems of the Kalahari: A review, In, Yair, A. and Berkowicz, E., (Eds.), Arid and semi arid environments - geomorphological and pedological aspects, *Catena Supplement 14*, 119-126.

Shaw, P.A., 1997: Africa and Europe, In, Thomas, D.S.G., (Eds.), *Arid zone geomorphology: Process, form and change in drylands*, Wiley, Chichester, 467-485.

Stengel, H., 1966: The rivers of the Namib and their discharge into the Atlantic Ocean, Part II: Omaruru and Ugab, *Scientific Papers of the Namib Desert Research Station*, 30, 1-35.

Stettler, E.H., 1979: *A geological and geophysical investigation of the diamond runs on Ruigtelaagte and vicinity, in the Bakerville area, Lichtenburg district*, Unpublished MSc Thesis, University of Pretoria, Pretoria.

Stratten, T., 1979: The origin of the diamondiferous alluvial gravels in the southwestern Transvaal, In, Anderson, A.M., and Van Biljon, W.J., (Eds.), *Some sedimentary basins and associated ore deposits in South Africa*, Geological Society of South Africa Special Publication, 2, 145-166.

Taljaard, M.S., 1944: On induced maturity in streams, *South African Geographical Journal*, 26, 14-17.

Tankard, A.J., 1975: *The Late Cenozoic history and palaeoenvironments of the coastal margin of the southwestern Cape Province*, South Africa, Unpublished PhD Thesis, Rhodes University, Grahamstown.

Tankard, A.J. and Rogers, J., 1978: Late Cenozoic palaeoenvironments on the West Coast of southern Africa, *Journal of Biogeography*, 5, 319-337.

Teller, J.T., Rutter, N.W. and Lancaster, N., 1990: Sedimentology and palaeohydrology of Late Quaternary lake deposits in the Northern Namib sea sand, Namibia, *Quaternary Science Reviews*, 9, 343-364.

Thomas, D.S.G., 1986: Reconstructing the Quaternary in southern Africa, *Progress in Physical Geography*, 10, 455-464.

Thomas, D.S.G., 1983/4: Geomorphic evolution and river channel orientation in north west Zimbabwe, *Proceedings of the Geological Association of Zimbabwe*, 15, 12-22.

Thomas, D.S.G., 1988: The nature and depositional setting of arid to semi-arid Kalahari sediments, southern Africa, *Journal of Arid Environments*, 14, 17-26.

Thomas, D.S.G., and Shaw, P.A., 1988: Late Cainozoic drainage evolution in the Zambezi basin: Geomorphological evidence from the Kalahari rim, *Journal of African Earth Sciences*, 7, 611-618.

Thomas, D.S.G. and Shaw, P.A., 1992: *The Kalahari environment*, Cambridge University Press, Cambridge.

Thomas, D.S.G. and Shaw, P.A., 1992: The Zambezi River: Tectonism, climate change and drainage evolution - is there really evidence for a catastrophic flood? A discussion, *Palaeogeography, Palaeoclimatology, Palaeoecology*, 91, 175-178.

Trevor, T.G., Mellor, E.T. and Kynaston, H., 1908, Reconnaissance of the north west Zoutpansberg district, *Report Transvaal Mines Department*.

Twidale, C.R. and Van Zyl, J.A., 1980: Some comments on the poorts and pediments of the western Little Karroo, *South African Geographer*, 8, 1, 11-24.

Van Riet Lowe, C., 1952: The Vaal River chronology: An up-to-date summary, *South African Archaeological Bulletin*, 7, 135-149.

Van Rooyen, T.H., and Burger, R, du T., 1973: Physiographic features of the central Orange River basin, with a note on pan formation, *South African Geographer*, 4, 218-227.

Van Wyk, J.P. and Pienaar, L.F., 1986: Diamondiferous gravels of the Lower Orange River, Namaqualand, In, Anhaeusser, C.R. and Maske, S., (Eds.), Mineral deposits of southern Africa, *Geological Society of South Africa*, 2, 2309-2321.

Van Zyl, J.A. and Scheepers, A.C.T., 1991: Landforms and geomorphic processes of the Uniab River mouth area, Namibia, *South African Geographer*, 18, 1/2, 31-45.

Van Zyl, J.A. and Scheepers, A.C.T., 1992: The geomorphic history and landforms of the Lower Koigab River, Namibia, *South African Geographer*, 20, 1/2, 12-22.

Van Zyl, J.A. and Scheepers, A.C.T., 1992: Quaternary sediments and the depositional environments of the Lower Uniab River area, Skeleton Coast, Namibia, *South African Journal of Geology*, 95, 108-115.

Verhoef, P., 1972: A stream deposit with interstratified peat at Pretoria, *Palaeoecology of Africa*, 6, 147-148.

Vogel, J.C., 1982: The age of the Kuiseb River silt terrace at Homeb, *Palaeoecology of Africa*, 15, 201-209.

Vogel, J.C., 1989: Evidence of past climatic change in the Namib Desert, *Palaeogeography, Palaeoclimatology, Palaeoecology*, 70, 355-364.

Vogel, J.C. and Rust, U., 1987: Environmental changes in the Kaokeveld Namib Desert during the present millennium, *Madoqua*, 15, 5-16.

Wagner, P.A., 1914: *The diamond fields of southern Africa*, The Transvaal Leader, Johannesburg, 347.

Ward, J.D., 1982: Aspects of a site of Quaternary conglomerate sediments in the Kuiseb valley, Namib, *Palaeoecology of Africa*, 15, 211-216.

Ward, J.D., 1984: A reappraisal of the Cenozoic stratigraphy in the Kuiseb valley of the central Namib Desert, In, Vogel, J.C., (Ed.), *Late Cainozoic Palaeoclimates of the southern Hemisphere*, A.A. Balkema, Rotterdam, 455-464.

Ward, J.D., 1988: On an interpretation of the Oswater conglomerate formation, Kuiseb valley, Namib Desert, *Palaeoecology of Africa*, 19, 98-107.

Ward, J.D. and Swart, R., 1997: Flash-flood fluvial systems of the central Namib Desert, *Field Excursion Guidebook, 6th International Conference on Fluvial Sedimentology*, University of Cape Town, September 1997, 10, 1-37.

Watson, A. and Price Williams, D., 1985: Early Pleistocene gravels in Swaziland and their geomorphological and structural significance, *Zeitschrift für Geomorphologie*, 29, 1, 71-87.

Wellington, J.H., 1929: The Vaal-Limpopo watershed, *South African Geographical Journal*, 12, 36-45.

Wellington, J.H., 1933: The middle course of the Orange River, *South African Geographical Journal*, 16, 58-68.

Wellington, J.H., 1938: The Kunene River and the Etosha plain, *South African Geographical Journal*, 20, 21-31.

Wellington, J.H., 1941: Stages in the process of river-superimposition in the southern Transvaal, *South Africa Journal of Science*, 37, 78-96.

Wellington, J.H., 1945: Notes on the drainage of the western Free State sandveld, *South African Geographical Journal*, 27, 73-77.

Wellington, J.H., 1958: The evolution of the Orange River basin: Some problems, *South African Geographical Journal*, 40, 3-30.

Wells, L.H., 1964: The Vaal River 'younger gravels' faunal assemblage, a revised list, *South African Journal of Science*, 60, 3, 91-93.

Wilkinson, M.J., 1990: *Palaeoenvironments in the Namib Desert*, University of Chicago Research Paper 231, University of Chicago, Chicago.

Williams, A.F., 1905: *The diamond mines of South Africa,* Bluck and Company, New York.

Williams, A.F., 1930: Diamond-bearing alluvial gravels of the Union of South Africa, *Transactions of the 3rd Empire Mineralogical and Metallurgical Congress Handbook*, 1-169.

Williams, A.F., 1932: *The genesis of the diamond*, Random House, London.

Wood, M.E., 1922: The Upper Zambezi, *South African Geographical Journal*, 5, 52-54.

Zawada, P.K., 1991: Palaeofloods and the climatic record, *South African Journal of Science*, 87, 362.

Zawada, P.K., 1994: Palaeoflood hydrology of the Buffels River, Laingsburg, South Africa: Was the 1981 flood the largest?, *South African Journal of Geology*, 97, 21-32.

Zawada, P.K., 1996: *Palaeoflood hydrology of selected South African rivers*, Unpublished PhD Thesis, University of Port Elizabeth, Port Elizabeth.

Zawada, P.K., 1997: Palaeoflood hydrology: Method and application in flood-prone southern Africa, *South African Journal of Science*, 93, 111-132.

Zawada, P.K. and Hattingh, J., 1994: Studies on the palaeoflood hydrology of South African rivers, *South African Journal Science*, 90, 567-568.

Zawada, P.K., Hattingh, J. and Van Bladeren, D., 1996: *Palaeoflood hydrological analysis of selected South African rivers*, Water Research Commission Report No. 509/1/96, Pretoria.

Zhang, P., 1995: *The evolution of the Gamtoos River floodplain, South Africa*, Unpublished MSc Thesis, University of Port Elizabeth, Port Elizabeth.